




# GRIDWORKS

8" | ALLOY SAFETY TOE | WATERPROOF  
TB0A12EZ214



30 Day US and Canada only



### FEATURES:

- Premium full-grain leather with waterproof membrane
- Alloy safety toe
- Brass hardware with Zinc top Speed hook
- Mesh lining with antimicrobial treatment
- Steel shank
- Non-metallic puncture plate
- Goodyear Welt Construction
- Weight 9W 1065g

### DYNAMIC ANTI-FATIGUE FOOTBED:

- Durable: resists compression set over time
- Resilient: recovers for next foot strike
- Mono-sided inverted Anti-Fatigue Technology cones
- Contoured bio-mechanically engineered top surface helps maintain proper gait
- Dynamic arch adapts to different foot shapes for maximum comfort
- Moisture-wicking open-cell top cover

### ALL WEATHER THERMOPLASTIC URETHANE OUTSOLE WITH EVA MIDSOLE:

- Low temperature formulation
- Slip resistant
- Abrasion resistant
- Oil resistant
- Heat Resistant up to 248°F using EN/ISO 20344:2004 (120°C)
- Flat Wedge outsole

### 7-11 12 13 14 15 W

USA Men's	7	7.5	8	8.5	9	9.5	10	10.5	11	12	13	14	15
USA Women's	8.5	9	9.5		10	10.5	11	11.5	12				
United Kingdom	6	6.5	7	7.5	8	8.5	9	9.5	10	11	12	13	14
Europe	39	40	41	41.5	42	42.5	43	43.5	44	46	47	48	49
Centimeters	25,0	26,0	26,0	26,5	27,0	27,5	28,0	28,5	29,0	30,0	31,0	32,0	33,0



# GRIDWORKS

8" | ALLOY SAFETY TOE | WATERPROOF

TB0A12EZ214



**A. Alloy Safety Toe**

**B. Anti-Fatigue Technology PU Footbed**

**C. Steel Shank**

**D. Non-Metallic Puncture-Resistant Plate**

**E. Lightweight, Cushioning EVA Midsole**

**F. All-Weather TPU Outsole**

---

**FR A. Embout coqué en alliage**

**B. Semelle Intérieure en PUR amortissante**

**C. Tige d'acier**

**D. Plaque résistante aux perforations non métallique**

**E. Semelle Intercalare en CAV/E légère et coussinée**

**F. Semelle extérieure en TPUR toutes saisons**

---

**ES A. Punta de seguridad de aleación**

**B. Plantilla de PU con tecnología anti-fatigue**

**C. Cambrellón de acero**

**D. Placa no metálica resistente a perforaciones**

**E. Entresuela ligera, acolchonada de EVA**


**F. Suela de TPU para todos los climas**

### MEASUREMENTS:

(All measurements are external)

LOWEST POINT ON COLLAR: 9 1/4"

LOWEST OPENING ON BOOT: 6 1/2"





# GRIDWORKS

8" | ALLOY SAFETY TOE | WATERPROOF

TB0A12EZ214

## SLIP TEST RATING



No shoe is "slip proof." Footwear is one small part of any Slip Hazard Assessment Defense Program. You should always consult with your Company Safety Manager to determine the most appropriate footwear for your work environment. Using this information, it is possible to seek advice from the Manufacturer or Distributor regarding appropriate application based on test results.


### EXCERPT FROM CSA Z195-14 WHOLE SHOE SLIP RESULTS

TEST REPORT: CHT0230595/1449  
OUTSOLE: PRO345 TEST LAB: 12A10

The below chart provides the slip scores for the outsole of the shoe.

- HEEL / TALON / TALÓN
- FLAT / PLAT / PARTE PLANA
- MINIMUM REQUIRED / MINIMUM REQUIS / MÍNIMO REQUERIDO

### CSA Z195-14



# Timberland<sup>®</sup> PRO<sup>®</sup>

## GRIDWORKS

8" | ALLOY SAFETY TOE | WATERPROOF

TB0A12EZ214



### TECHNOLOGIES



#### Alloy Safety Toe

Lightweight, asymmetrical-shaped toe cap. Meets US and Canadian safety standards including ASTM F2412-11 and ASTM F2413-11 I/75 and C/75 Impact and compression safety standards and CAN/CSA-Z195-14 Grade 1.



#### Waterproof Membrane

Delivers maximum waterproof protection and blood-borne pathogen resistance. Meets ASTM F1671-07 safety standard.



#### Electrical Shock Resistant

Meets CAN/CSA-Z195-14 safety standards for footwear incorporating electric shock-resistant soles.



#### Puncture Resistant

Flexible non-metallic plate minimizes the likelihood of puncture wounds. Meets US and Canadian safety standards including ASTM F2412-11, ASTM F2413-11 and ASTM F2892-11 PR puncture resistance and CAN/CSA-Z195-14 Grade 1 with protective soles.



#### All-Weather TPU Outsole

Specialty-formulated thermoplastic urethane compound designed to maintain flexibility in variable weather conditions, providing enhanced traction on wet and frosted ice surfaces, plus slip, oil and abrasion resistance.



#### Antimicrobial Odor Control

Treatment to help prevent and control odors.



#### Anti-Fatigue Technology

A comfort system designed with shock-absorbing, geometrical technology that returns energy back to the foot to deliver all-day support and comfort.



#### 30-Day Comfort Guarantee

If you don't believe Timberland PRO<sup>®</sup> footwear with Anti-Fatigue Technology, PowerFIT<sup>™</sup> comfort system or SensorFlex<sup>™</sup> technology are not more comfortable than the brand you're currently wearing, return them within 30 days and we'll refund your purchase price, provided you still have your dated receipt of purchase. Call 1-888-802-9947 from US and 1-800-501-3054 from Canada. Available in the United States and Canada only.