



aerocore™
ENERGY SYSTEM >>



30 Day US and Canada only

REAXION
COMPOSITE SAFETY TOE
TB0A21VB001



FEATURES:

- Composite safety toe powered by CarbonShield™ Technology
- Non-Metallic Puncture Resistant Plate
- Spacer mesh top tongue with Ripstop upper
- TPU Wrapped Aerocore™ midsole delivers maximum energy return while resisting rips abrasions and scuffs
- Lightweight All Weather TPU outsole with anatomically positioned flex grooves
- Metal and Mutilation Free
- Mesh lining with antimicrobial treatment
- Cold Cement construction
- Non-metallic shank
- Weight 7 ½ PR 465g

ALL-WEATHER THERMOPLASTIC URETHANE OUTSOLE WITH AEROCORE™ ENERGY SYSTEM MIDSOLE:

- Slip resistant
- Oil resistant
- Heat Resistant up to 248°F using EN/ISO 20344:2004 (120°C)
- Abrasion resistant
- Non Marking

DYNAMIC ANTI-FATIGUE TECHNOLOGY POLYURETHANE FOOTBED:

- Durable: resists compression set over time
- Resilient: recovers for next foot strike
- Mono-sided inverted Anti-Fatigue Technology cones
- Contoured bio-mechanically engineered top surface helps maintain proper gait
- Dynamic arch adapts to different foot shapes for maximum comfort
- Moisture-wicking open-cell top cover

Women's 5.5-10 11 12

USA Men's	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	11	12
USA Women's	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12		
United Kingdom	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	10	11
Europe	36	36.5	37	37.5	38	38.5	39	40	41	41.5	42	42.5	43	44	46
Centimeters	22,5	23,0	23,5	24,0	24,0	25,0	25,0	26,0	26,0	26,5	27,0	27,5	28,0	29,0	30,0



aerocore™
ENERGY SYSTEM >>



REAXION
COMPOSITE SAFETY TOE
TB0A21VB001

- A. Composite Safety Toe Powered by CarbonShield™ Technology
- B. Anti-Fatigue Technology PU footbed
- C. Non-Metallic Puncture-Resistant Plate
- D. Non-Metallic Shank
- E. TPU wrapped Aerocore™ Midsole
- F. All-Weather TPU Outsole

- A. Embout coqué en composite renforcé par la technologie CarbonShield™
- B. Semelle intérieure en PUR amortissante
- C. Plaque résistante aux perforations non métallique
- D. Tige non métallique
- E. Semelle intercalaire Aerocore™MD enrobée de TPU
- F. Semelle extérieure en TPUR toutes saisons

- A. Punta de seguridad compuesta con tecnología CarbonShield™
- B. Plantilla de PU con tecnología anti-fatigue
- C. Placa no metálica resistente a perforaciones
- D. Cambrellón no metálico
- E. Entresuela AeroCore™ resguardada en material TPU
- F. Suela de TPU para todos los climas



MEASUREMENTS:


(All measurements are external)

HIGHEST POINT ON COLLAR 4.75" / 121mm

LOWEST POINT ON COLLAR 3.5" / 89mm

LOWEST OPENING ON BOOT 3.5" / 89mm

HEEL BREAST 3/8" / 10mm





aerocore™
ENERGY SYSTEM >>



REAXION
COMPOSITE SAFETY TOE
TB0A21VB001

SLIP TEST RATING



No shoe is "slip proof." Footwear is one small part of any Slip Hazard Assessment Defense Program. You should always consult with your Company Safety Manager to determine the most appropriate footwear for your work environment. Using this information, it is possible to seek advice from the Manufacturer or Distributor regarding appropriate application based on test results.


**EXCERPT FROM CSA Z195-14
WHOLE SHOE SLIP RESULTS**

TEST REPORT: CHT0283527/1914
OUTSOLE: PRO524 TEST LAB: SATRA

The below chart provides the slip scores for the outsole of the shoe.

- HEEL / TALON / TALÓN
- FLAT / PLAT / PARTE PLANA
- MINIMUM REQUIRED / MINIMUM REQUIS / MÍNIMO REQUERIDO

CSA Z195-14



Timberland PRO

aerocore™
ENERGY SYSTEM >>

ANTI-FATIGUE
TECHNOLOGY™



REAXION
COMPOSITE SAFETY TOE
TB0A21VB001

TECHNOLOGIES



Made for Women

Designed specifically for women, Timberland PRO women's footwear is built with 3 distinctive points of comfort, including a more anatomical last, asymmetrical toe shape, and a low profile, resulting in a more feminine aesthetic.



Composite Safety Toe

Lightweight, non-metallic, asymmetrical-shaped toe cap. Meets US and Canadian safety standards including ASTM F2412-18A and ASTM F2413-18 I and C Impact and compression safety standards and CAN/CSA-Z195-14 Grade 1.



CarbonShield™ Technology

Engineered with nanotechnology, adds strength and unmatched protection, provides a better fit, and reduces weight.



Electrical Shock Resistant

Meets CAN/CSA-Z195-14 safety standards for footwear incorporating electric shock-resistant soles.



All-Weather TPU Outsole

Specially-formulated thermoplastic urethane compound designed to maintain flexibility in variable weather conditions, providing enhanced traction on wet and frosted ice surfaces, plus slip, oil and abrasion resistance.



Metal Free

Built with materials that should not activate most security systems or scratch surfaces.



Anti-Fatigue Technology

A comfort system designed with shock-absorbing, geometrical technology that returns energy back to the foot to deliver all-day support and comfort.



30-Day Comfort Guarantee

If you don't believe Timberland PRO® footwear with Anti-Fatigue Technology, PowerFit™ comfort system or SensorFlex™ technology are not more comfortable than the brand you're currently wearing, return them within 30 days and we'll refund your purchase price, provided you still have your dated receipt of purchase. Call 1-888-802-9947 from US and 1-800-501-3054 from Canada. Available in the United States and Canada only.