



## Endura® 378GOB

Gants en peau de chèvre faciles à enfiler qui résistent à l'huile et à l'eau

Le dos élastiqué et la coupe pilote à enfiler permettent à ces gants en cuir de chèvre robustes et résistants à l'abrasion d'offrir un confort maximal. L'utilisation d'un traitement Oilbloc™ repousse l'huile et l'eau pour une prise solide et stable, et une conception durable du pouce Keystone prolonge leur durée de vie. Au fil du temps, vous pouvez vous attendre à ce que ces gants se moulent à votre main pour un ajustement encore plus serré et plus confortable.



ABRASION



PUNCTURE

Anglais

# DETAILS

## CARACTÉRISTIQUES DU PRODUIT

- La peau de chèvre à haute résistance à la traction offre une résistance exceptionnelle à l'abrasion
- Traité avec Oilbloc™ pour une résistance imbattable à l'huile et à l'eau
- Les dos sont élastiqués pour un ajustement parfait
- La conception du pouce Keystone offre une durabilité accrue



AVERTISSEMENT : Connu dans l'État de Californie pour causer le cancer, des malformations congénitales ou d'autres troubles de la reproduction. Pour plus d'informations, rendez-vous sur [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## APPLICATIONS

AUTOMOBILE, CONSTRUCTION, FABRICATION MÉTALLIQUE, PÉTROLE ET GAZ

### RECOMMANDÉ POUR

EMBOUITISSAGE LÉGER, MAINTENANCE, MANUTENTION DE MATÉRIAUX, MANUTENTION DE PIÈCES

### VERSIONS ALTERNATIVES

378GOBTL

378GOBKL

# SPECS

## CARACTÉRISTIQUES

IDENTIFIANT DU PRODUIT	378GOB	MATÉRIEL	Cuir, Chèvre
CODE DE CERTIFICATION CE	Aucun	FABRIQUÉ EN	Pakistan
TAILLES	S, M, L, XL, 2XL, 3XL	DES INSTRUCTIONS	Nettoyage à sec
TAILLES POUR FEMMES	Aucun	LONGUEUR DU BRASSARD	2"
STYLE DE MANCHETTE	Sécurité		
JAUGE	Aucun		
PALM COATING	None		
DIP TYPE	None		

## SHIPPING AND PACKAGING

UNSPSC CODE	46181504	COUNTRY OF ORIGIN	Pakistan
SHIP PACK QUANTITY	12	SKID QUANTITY	32
WEIGHT (LB)	36.67	CASE DIMENSIONS (IN)	Anglais 22x10.25x13

WEIGHT (LB)

COLOR

CASE DIMENSIONS (IN)

FEATURES

UNIT OF MEASURE

Dozen

## HAZARD PROTECTIONS

<b>ABRASION</b>	ANSI Level 4	<b>CRUSH</b>	None
<b>ARC FLASH</b>	None	<b>CUT</b>	None
<b>CHEMICAL</b>	None	<b>HEAT</b>	None
<b>COLD</b>	None	<b>FLAME</b>	None
<b>IMPACT</b>	None		
<b>VIBRATION</b>	None		
<b>PUNCTURE (PROBE)</b>	ANSI Level 3		
<b>PUNCTURE (HYPODERMIC NEEDLE)</b>	None		

## FEATURES AND TECH

<b>ANTI-MICROBIAL</b>	None	<b>FDA COMPLIANT</b>	None
<b>BIODEGRADABLE</b>	None	<b>HIGH VISIBILITY</b>	None
<b>CFIA COMPLIANT</b>	None	<b>LATEX FREE</b>	None
<b>CLEANROOM FRIENDLY</b>	None	<b>LOW-LINTING</b>	None
<b>CRUSH RESISTANT FINGERCAPS (FINGERTIPS ONLY)</b>	None	<b>MADE IN AMERICAS</b>	None
<b>DISPOSABLE</b>	None	<b>MADE IN CANADA</b>	None
<b>DOUBLE PALM</b>	None	<b>NON-MARRING</b>	None
<b>ESD/ ANTI-STATIC</b>	None	<b>OIL/WATER REPELLANT (TREATMENT)</b>	Yes
<b>EXTENDED SIZES</b>	Yes	<b>REINFORCED THUMB CROTCH</b>	None
<b>SILICONE FREE</b>	None		
<b>TOUCHSCREEN FRIENDLY</b>	None		
<b>UKCA / CE CERTIFIED</b>	None		
<b>VEND PACK</b>	None		
<b>WATER RESISTANT (MATERIAL)</b>	None		
<b>WATERPROOF</b>	None		
<b>WFI DING</b>	None		


Anglais

## FIT & SIZING

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand from the base of your first finger and across your knuckles.

SIZE	WIDTH (MM)	WIDTH (IN)
5 / 2XS	50 MM	2 IN
6 / XS	63 MM	2.5 IN
7 / S	75 MM	3 IN
8 / M	88 MM	3.5 IN
9 / L	101 MM	4 IN
10 / XL	113 MM	4.5 IN
11 / 2XL	126 MM	5 IN
12 / 3XL	140 MM	5.5 IN



**Request a Sample of This Product on  
SuperiorGlove.com**

**OR EMAIL US AT  
BUSINESS.DEVELOPMENT@SUPERIORGLOVE.COM**



